

RACCORDERIA OTTONE

BRASS PIPE FITTINGS



omec


Art. B280 NIPPLO OTTONE ESAGONALE M.M.

Yellow brass nipples

M Yellow Brass

Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1



CODE	CONF.	PACK	ø A	L mm	€
B280C1400	50	1200	1/4"	22,3	0,8913
B280C3800	10	400	3/8"	28	1,1020
B280C1200	10	380	1/2"	29,3	1,3881
B280C3400	10	240	3/4"	30,4	1,3881
B280C1000	10	140	1"	34,5	3,0607
B280C1140	10	80	1" 1/4"	39,6	5,7535
B280C1120	1	65	1" 1/2"	41	7,3309
B280C2000	1	35	2"	52,2	12,1275


Art. B241 RIDUZIONE OTTONE M.F.

Yellow brass reducer

M Yellow Brass

Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1



CODE	CONF.	PACK	ø AxB	L mm	€
B241C1418	50	1550	1/4" x 1/8"	12,4	0,9487
B241C3814	50	1250	3/8" x 1/4"	15,1	1,1121
B241C1214	10	600	1/2" x 1/4"	17,2	1,3690
B241C1238	10	600	1/2" x 3/8"	16,6	0,9173
B241C3438	10	300	3/4" x 3/8"	21,6	2,0352
B241C3412	10	350	3/4" x 1/2"	18,7	1,4998
B241C1380	10	150	1" x 3/8"	20,5	5,0987
B241C1120	10	180	1" x 1/2"	20,5	3,2046
B241C1340	10	180	1" x 3/4"	20,5	2,2934
B241C1412	10	100	1" 1/4 x 1/2"	22,8	6,0004
B241C1434	10	100	1" 1/4 x 3/4"	24,8	5,7478
B241C1141	10	100	1" 1/4 x 1"	26	4,9330
B241C1122	10	80	1" 1/2 x 1/2"	24,5	8,9317
B241C1123	10	80	1" 1/2 x 3/4"	27,4	7,6822
B241C1121	10	90	1" 1/2 x 1"	24,8	6,7461
B241C1124	1	100	1" 1/2 x 1" 1/4	26,8	4,6787
B241C2100	1	50	2" x 1"	31,1	14,1450
B241C2114	1	60	2" x 1" 1/4"	30	11,1483
B241C2112	1	50	2" x 1" 1/2"	30	9,5839


Art. B245 NIPPLES DOPPIO RIDOTTO

Yellow brass reducing nipple

M Yellow Brass

Norm: DM 174 06/04/2004


Thread: UNI EN ISO 228/1



CODE	CONF.	PACK	ø AxB	L mm	€
B245C1418	10	400	1/4" x 1/8"	23	1,2027
B245C3814	10	400	3/8" x 1/4"	25	1,2695
B245C1214	10	400	1/2" x 1/4"	24,5	1,3461
B245C1238	10	400	1/2" x 3/8"	27,4	1,2806
B245C3438	10	200	3/4" x 3/8"	27,8	4,1123
B245C3412	10	280	3/4" x 1/2"	29,6	2,0822
B245C1120	10	130	1" x 1/2"	35,2	3,5097
B245C1340	10	130	1" x 3/4"	32,9	3,9822
B245C1143	10	80	1" 1/4 x 3/4"	39,1	6,0754
B245C1141	10	90	1" 1/4 x 1"	37,2	5,7663
B245C1123	10	40	1" 1/2 x 3/4"	36,9	13,9417
B245C1121	1	90	1" 1/2 x 1"	44,5	8,3069
B245C1124	1	60	1" 1/2 x 1" 1/4"	44,5	8,0289
B245C2100	1	50	2" x 1"	42,3	11,1667
B245C2114	1	40	2" x 1" 1/4"	47	12,1116
B245C2112	1	30	2" x 1" 1/2"	48,8	13,3709

Art. B246 PROLUNGA RIDOTTA ESAG. F.M.

Yellow brass hexagonal reduced extension



M Yellow Brass


Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1

CODE	CONF.	ø AxB	L mm	Chiave SW	€
B246C3814	10	3/8" x 1/4"	22	21	2,7422
B246C1214	10	1/2" x 1/4"	22	23	2,7503
B246C3812	10	1/2" x 3/8"	22	23	2,0622
B246C3412	10	3/4" x 1/2"	22	29,5	2,5475
B246C1120	10	1" x 1/2"	24	36,5	5,1464
B246C1340	10	1" x 3/4"	26	36,5	4,4889
B246C1141	10	1" 1/4" x 1"	26	45	6,4733

Art. B292 TAPPO VITE MASCHIO

Yellow brass M plug



M Yellow Brass


Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1

CODE	CONF.	PACK	ø A	L mm	€
B292C1400	10	1500	1/4"	14	0,7941
B292C3800	10	750	3/8"	15	0,9553
B292C1200	10	520	1/2"	19,5	1,1594
B292C3400	10	400	3/4"	17,3	1,8020
B292C1000	10	230	1"	20,2	3,2061
B292C1140	10	100	1"1/4"	35,6	5,1150
B292C1120	6	90	1"1/2"	25,3	6,4259
B292C2000	1	50	2"	33,1	11,1933

Art. B300 CALOTTA/TAPPO FEMMINA

Yellow brass F cap



M Yellow brass


Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1

CODE	CONF.	PACK	ø A	L mm	€
B300C1400	10	1800	1/4"	10,8	0,7970
B300C3800	10	600	3/8"	9,7	0,7963
B300C1200	10	600	1/2"	11	1,0421
B300C3400	10	350	3/4"	10,5	1,4463
B300C1000	10	200	1"	13,5	2,4896
B300C1140	10	150	1"1/4"	14,1	3,3551
B300C1120	10	100	1"1/2"	15,6	4,7689

Art. B310 CONTRODADO PIANO

Yellow brass lock nut



M Yellow brass


Norm: DM 174 06/04/2004

Thread: UNI ES ISO 228/1

CODE	CONF.	PACK	ø A	Spessore mm	Chiave mm	€
B310C1200	50	1500	1/2"	4,5	25	1,1418
B310C3400	50	1200	3/4"	5	30	1,4379
B310C1000	10	500	1"	6	37	1,7536

Art. B520 PROLUNGA

Yellow brass extension



M Yellow Brass


Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1

CODE	CONF.	PACK	ø A	L mm	€
B520C3810	10	500	3/8"	10	0,9571
B520C3820	10	400	3/8"	20	1,5919
B520C3830	10	400	3/8"	30	1,9497
B520C3850	10	210	3/8"	50	3,4962
B520C1210	10	400	1/2"	10	1,3434
B520C1215	10	350	1/2"	15	1,5332
B520C1220	10	250	1/2"	20	1,9135
B520C1225	10	200	1/2"	25	2,2296
B520C1230	10	200	1/2"	30	2,5527
B520C1240	10	150	1/2"	40	3,3355
B520C1250	10	150	1/2"	50	3,8824
B520C3410	10	350	3/4"	10	1,5985
B520C3415	10	270	3/4"	15	1,9759
B520C3420	10	200	3/4"	20	2,4582
B520C3430	10	150	3/4"	30	3,3429
B520C3440	10	150	3/4"	40	4,2890
B520C3450	10	100	3/4"	50	5,2358
B520C1150	10	150	1"	15	3,0464
B520C1200	10	100	1"	20	3,6742
B520C1300	10	90	1"	30	4,9540

Art. BP520 PROLUNGA PESANTE

Yellow brass heavy extension



M Yellow Brass

Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1

CODE	CONF.	PACK	ø A	L mm	B mm	€
BP520C1210	10	450	1/2"	1	26,5	1,5337
BP520C1215	10	350	1/2"	15	26,5	2,0800
BP520C1220	10	250	1/2"	20	26,5	2,4922
BP520C1225	10	200	1/2"	25	26,5	3,0387
BP520C1230	10	150	1/2"	30	26,5	3,4174
BP520C1240	10	150	1/2"	40	26,5	4,4709
BP520C1250	10	120	1/2"	50	26,5	5,4297
BP520C1260	10	100	1/2"	60	26,5	6,3905
BP520C1280	10	100	1/2"	80	26,5	8,3114
BP520C12100	10	90	1/2"	100	26,5	10,8145
BP520C3410	10	300	3/4"	10	31,5	2,5504
BP520C3415	10	240	3/4"	15	31,5	2,8740
BP520C3420	10	200	3/4"	20	31,5	3,3452
BP520C3430	10	150	3/4"	30	31,5	4,4687
BP520C3440	10	110	3/4"	40	31,5	5,4507
BP520C3450	10	90	3/4"	50	31,5	6,7088
BP520C1010	10	170	1"	10	38,5	3,9694
BP520C1150	10	150	1"	15	38,5	4,2986
BP520C1200	10	100	1"	20	38,5	4,9395
BP520C1300	10	100	1"	30	38,5	6,3833
BP520C1400	10	50	1"	40	38,5	9,5244
BP520C1500	10	50	1"	50	38,5	10,8254


Art. B531 NIPPLO M. TUTTO FILETTO

Yellow brass nipple

M Yellow brass

Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1



CODE	CONF.	PACK	ø A	L mm	€
B531C1200	10	450	1/2"	30	1,9047
B531C3400	10	250	3/4"	30	2,5465
B531C1000	10	180	1"	33	3,5053
B531C1140	1	80	1" 1/4"	40	4,7800
B531C1120	1	75	1" 1/2"	45	7,6193
B531C2000	1	10	2"	50	12,6795


Art. BR90 GOMITO 90° F.F

F.F. yellow brass elbow joint

M Yellow brass

Norm: DM 174 06/04/2004

Thread: UNI ES ISO 228/1



CODE	CONF.	PACK	ø AxB	L mm	€
BR090000104	10	300	1/4"	17	2,2345
BR090000308	10	200	3/8"	21	2,5613
BR090000102	10	140	1/2"	22	2,7765
BR090000304	10	80	3/4"	24,8	4,0132
BR090000100	10	60	1"	31,8	6,8026
BR090000114	1	35	1" 1/4"	42,8	10,9204
BR090000112	1	25	1" 1/2"	46,4	14,4637
BR090000200	1	15	2"	55,5	24,7497
BR090000212	1	5	2" 1/2"	68,2	49,5557
BR090000300	1	4	3"	73	76,7174
BR090000400	1	1	4"	95,7	152,9913


Art. BR92 GOMITO 90° M.F

M.F. yellow brass elbow joint

M Yellow brass

Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1



CODE	CONF.	PACK	ø AxB	L1 mm	L2 mm	€
BR092000104	10	430	1/4"	20	25	2,3214
BR092000308	10	300	3/8"	21	28	2,3979
BR092000102	10	170	1/2"	25	30,1	2,5842
BR092000304	10	100	3/4"	26,8	34,2	4,0147
BR092000100	10	50	1"	38,6	47	7,0566
BR092000114	5	35	1" 1/4"	40,3	55,2	10,9130
BR092000112	1	25	1" 1/2"	45,3	65,4	16,3843
BR092000200	1	15	2"	53,3	66,5	27,2474
BR092000212	1	6	2" 1/2"	68,2	85,2	60,7049
BR092000300	1	4	3"	73	90,5	76,6435
BR092000400	1	1	4"	95,7	105	153,1391


Art. BR120 GOMITO A 45° F.F

F.F Yellow brass elbow 45°

M Yellow brass

Norm: DM 174 06/04/2004

Thread: UNI EN 10226-1 (ex iso 7/1)



CODE	CONF.	PACK	ø AxB	L1 mm	L2 mm	€
BR120000102	10	150	1/2"	22,4	22,4	4,7703
BR120000304	10	100	3/4"	24,7	24,7	6,3704
BR120000100	10	70	1"	26,2	26,2	7,9883
BR120000114	5	30	1" 1/4"	30,1	30,1	11,2044
BR120000112	1	25	1" 1/2"	36	36	14,4430
BR120000200	1	15	2"	38,2	38,2	19,3316


Art. BR130 TEE F.F.F.

TEE Yellow brass

M Yellow brass

Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1



CODE	CONF.	PACK	ø AxBxC	L1 mm	L2 mm	€
BR130000104	10	200	1/4"	17,7	17,5	2,7151
BR130000308	10	160	3/8"	21	21,1	2,8896
BR130000102	10	120	1/2"	22,5	21,1	3,0700
BR130000304	10	70	3/4"	25,4	25,3	4,8457
BR130000100	5	40	1"	30,8	32	8,6922
BR130000114	1	25	1" 1/4"	41,9	41	14,4799
BR130000112	1	20	1" 1/2"	46,8	47	19,6466
BR130000200	1	10	2"	52,5	51	29,6413
BR130000212	1	4	2" 1/2"	70	70	92,2652
BR130000300	1	4	3"	75	75	102,1430
BR130000400	1	1	4"	92,5	92,5	167,7196


Art. BR130R TEE F.F.F. RIDOTTO

Reduced TEE yellow brass

M Yellow brass

Norm: DM 174 06/04/2004


Thread: UNI EN ISO 228/1



CODE	CONF.	PACK	ø AxBxC	L1 mm	L2 mm	€
BR130R304102304	10	100	3/4"x1/2"x3/4"	30	25	5,5579
BR130R304102102	10	80	3/4"x1/2"x1/2"	26	25,6	7,9033
BR130R100102100	5	60	1"x1/2"x1"	27,5	29,6	9,1979
BR130R100100102	10	20	1"x1"x1/2"	32,5	32,5	17,6823
BR130R100304100	5	50	1"x3/4"x1"	37	36,9	9,5322

Art. BR270 MANICOTTO

Yellow brass coupling



M Yellow brass


Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1

CODE	CONF.	PACK	ø A	L mm	€
BR270000104	10	900	1/4"	17,5	1,2830
BR270000308	10	500	3/8"	30	1,4507
BR270000102	10	300	1/2"	30	1,9876
BR270000304	10	150	3/4"	33	2,5783
BR270000100	10	150	1"	30,5	3,7086
BR270000114	1	100	1" 1/4"	36,2	5,3515
BR270000112	1	50	1" 1/2"	40	8,8622
BR270000200	1	30	2"	50	12,9035

Art. BR341 BOCC.DIRITTO M.F. SEDE CONICA

Yellow brass M.F. conic pipe union



M Yellow brass

Norm: DM 174 06/04/2004

Thread: UNI EN 10226-1 (ex iso 7/1)

CODE	CONF.	PACK	ø A	L mm	€
BR341000102	10	70	1/2"	62,7	13,3568
BR341000304	5	50	3/4"	67,1	15,9396
BR341000100	1	35	1"	71,5	20,7550
BR341000114	1	20	1" 1/4"	83,8	29,3848
BR341000112	1	15	1" 1/2"	89,9	38,3550
BR341000200	1	10	2"	95,6	54,4054
BR341000212	1	10	2" 1/2"	125	133,6123


Art. B41C BARILOTTO 2 FILETTI

Yellow brass two thread barrel nipple

M Yellow brass

Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1



CODE	CONF.	PACK	ø A	L mm	€
B41C12001	10	200	1/2"	60	3,1251
B41C12002	10	200	1/2"	80	4,2362
B41C12003	10	120	1/2"	100	5,4112
B41C12004	10	150	1/2"	120	6,7114
B41C12005	5	120	1/2"	150	8,4465
B41C12006	5	60	1/2"	200	11,1565
B41C34001	10	120	3/4"	60	4,2927
B41C34002	10	100	3/4"	80	5,8868
B41C34003	10	80	3/4"	100	7,3210
B41C34004	10	100	3/4"	120	8,9077
B41C34005	5	70	3/4"	150	11,4464
B41C34006	5	50	3/4"	200	14,9577
B41C10001	10	80	1"	60	6,6707
B41C10002	10	60	1"	80	9,2308
B41C10003	10	50	1"	100	11,4575
B41C10004	10	50	1"	120	14,3148
B41C10005	5	40	1"	150	18,1060
B41C10006	5	30	1"	200	23,8810
B41C11401	10	60	1" 1/4"	60	6,3735
B41C11402	10	50	1" 1/4"	80	8,6101
B41C11403	10	40	1" 1/4"	100	11,1713
B41C11404	10	40	1" 1/4"	120	14,0689
B41C11405	5	30	1" 1/4"	150	17,8494
B41C11406	5	20	1" 1/4"	200	23,9105
B241C11202	10	40	1" 1/2"	80	13,6608
B241C11203	10	30	1" 1/2"	100	17,5186
B241C11205	5	2	1" 1/2"	150	27,0370
B241C11206	5	15	1" 1/2"	200	36,5795
B41C20002	10	30	2"	80	27,2186
B41C20003	10	20	2"	100	31,6819
B41C20005	5	15	2"	150	44,3904
B41C20006	1	12	2"	200	66,6702


Art. B42C BARILOTTO SCORREVOLE M.M

Yellow brass sliding extension

M Yellow brass

Norm: DM 174 06/04/2004

Thread: UNI EN ISO 228/1



CODE	CONF.	PACK	ø	L mm	L1 mm	L2 mm	€
B42C12100	10	200	1/2"	100	13,5	50	5,7269
B42C12150	10	160	1/2"	150	13,5	75	8,9018
B421C12200	10	120	1/2"	200	13,5	100	12,1004
B421C34100	10	140	3/4"	100	14	50	8,5805
B421C34150	10	100	3/4"	150	14	75	12,3695
B421C34200	10	80	3/4"	200	14	100	17,1511
B241C11000	10	100	1"	100	15,5	50	10,5137
B241C11500	10	70	1"	150	15,5	75	16,5156
B241C12000	10	50	1"	200	15,5	100	21,6876